

Executive Conference Table 4'x8'



3 People




No Tools
Included



Holds up
to 300lb
(136.07 kg)

vari®

INCLUDED PARTS FOR TABLE ASSEMBLY




INCLUDED PARTS FOR CABLE MANAGEMENT



Tools Needed (Not Included)


- #4 ALLEN WRENCH
- PHILLIPS SCREWDRIVER OR POWER DRILL WITH A PHILLIPS DRILLBIT

1 TABLE ASSEMBLY




The table top is face down when you open the box. Assemble the table tops in its box as they are to avoid damaging the tabletop surface.

2




The left, right, and alternate legs are labeled on the plate of each leg. (Center legs are labeled “AIM-A” and one should have a cutout for cable management). Align the square plate at the top of each leg with the corresponding pre-drilled holes on the underside of the tabletop. Use the provided screws and your Phillips Head screwdriver to secure them to the table, one by one.
***Note: It is only necessary to screw in the corners of each leg plate. There will be extra screws upon completion of this table.**

3




With two or more people, turn the table to its side to rest on its legs. Then, turn it again to its upright position. ***Note: We suggest placing the table near the power outlet you intend to connect to before the next step.**

4



Slide the clips onto the right and left side of the power box, place it into the center of the tabletop, and press down to firmly secure them. The power unit is installed properly when it is flush with the tabletop surface.


5




Unroll and relax the kinks in the power cord. Then, run it down the cable management slot provided in the proper alternate leg.

INSTALLING CABLE MANAGEMENT

6




Screw the bracket into the underside of the table, in the path of the cable.



Push the velcro strap into the slots of the bracket.

7



Fasten the cables with the velcro straps.

